



# EC Declaration of Conformity

No.  
E01/14351/07



Year of issue  
07

We

**FAKRO PP Sp. z o.o.**  
**ul. Węgierska 144a**  
**33-300 Nowy Sącz, Poland**

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC.

Product description: **Roof window type FT.. and flashings intended to be used in domestic and commercial location**

Applied harmonised standard: **EN 14351-1:2006**

Characteristics:	FTS, FTS-V	FTP-V, FTP-W, FLP, FNP	FTL-V, FTL-W, FTL/D, FLL
Resistance to wind load – Test pressure	Class 5	Class 5	Class 5
Resistance to wind load – Frame deflection	Class C	Class C	Class C
Resistance to snow load	4H-16-4T*	4H-16-4T*	4H-16-33.1T* 4H-14-33.1T*
Reaction to fire	npd	npd	npd
External fire performance	npd	npd	npd
Watertightness – Non-shielded (A)	Class E1200	Class E1200	Class E1200
Impact resistance [mm]	450	450	450
Load-bearing capacity of safety device	Threshold value	Threshold value	Threshold value
Acoustic performance [dB]	32 (-2;-5)	32 (-2;-5)	35 (-1;-4)
Thermal transmittance	1,4	1,4	1,4
Radiation properties - Solar factor	0,61	0,61	0,61
Radiation properties – Light transmittance	0,79	0,79	0,79
Air permeability	Class 4	Class 4	Class 4

\* H - toughened glass

T - low emission coating

npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

Ift Rosenheim (Notified Body No 0757), Theodor-Gietl-Str. 7-9, 83026 Rosenheim, Germany

Nowy Sącz, 26.11.2007

**FAKRO® PP** Sp. z o.o. <sup>-2-</sup>  
33-300 Nowy Sącz, ul. Węgierska 144a  
tel. 0-18 444-0-444 fax 444-0-333  
NIP 734-28-87-530 Regon 492727063

**Ewa Łukaszczyk-Haslik**  
Kierownik Działu Certyfikacji  
i Kontroli Jakości